B's

wave is set in a range of 0.01 to 0.05, and a duty ratio (w/p) of the electrode finger decided based on a width w and an arraying cycle p of the electrode finger is set to the value ranging from 0.6 to just below 1.0.

(Amended) An acoustic wave apparatus comprising:
 a piezoelectric substrate mainly containing lithium tantalate;
 an interdigital transducer including a conductor formed on said substrate; and
 a reflector including a conductor formed on said substrate,

wherein a surface rotated in a range of 35° to 42° from a crystal Y axis around a crystal X axis of the lithium tantalate is set as a surface of said substrate, a standardized electrode thickness (h/ λ) obtained by standardizing a thickness h of an electrode finger constituting at least a part of said reflector by a wavelength λ of a surface acoustic wave is set in a range of 0.05 to 0.075, and a duty ratio (w/p) of the electrode finger decided based on a width w and an arraying cycle p of the electrode finger is set to the value ranging from 0.6 to just below 1.0.

(Amended) An acoustic wave apparatus comprising:

 a piezoelectric substrate mainly containing lithium tantalate;
 an interdigital transducer including a conductor formed on said substrate; and
 a reflector including a conductor formed on said substrate,

wherein a surface rotated in a range of 36° to 43° from a crystal Y axis around a crystal X axis of the lithium tantalate is set as a surface of said substrate, a standardized electrode thickness (h/ λ) obtained by standardizing a thickness h of an electrode finger constituting at least a part of said reflector by a wavelength λ , of a

Application No.: 09/889,392

Bold

surface acoustic wave is set in a range of 0.075 to 0.1, and a duty ratio (w/p) of the electrode finger decided based on a width w and an arraying cycle p of the electrode finger is set to the value ranging from 0.6 to just below 1.0.

B

10. (Amended) An acoustic wave apparatus comprising: a piezoelectric substrate mainly containing lithium tantalate; an interdigital transducer including a conductor formed on said substrate; and a reflector including a conductor formed on said substrate,

wherein a surface rotated in a range of 34° to 41° from a crystal Y axis around a crystal X axis of the lithium tantalate is set as a surface of said substrate, a standardized electrode thickness (h/ λ) obtained by standardizing a thickness h of a part of an electrode finger constituting a part of said reflector by a wavelength λ of a surface acoustic wave is set in a range of 0.01 to 0.05, and a duty ratio (w/p) of a part of the electrode finger decided based on a width w and an arraying cycle p of a part of the electrode finger is set to the value ranging from 0.6 to just below 1.0.

(Amended) An acoustic wave apparatus comprising:
 a piezoelectric substrate mainly containing lithium tantalate;

an interdigital transducer including a conductor formed on said substrate; and a reflector including a conductor formed on said substrate,

wherein a surface rotated in a range of 35° to 42° from a crystal Y axis around a crystal X axis of the lithium tantalate is set as a surface of said substrate, a standardized electrode thickness (h/λ) obtained by standardizing a thickness h of a part of an electrode finger constituting a part of said reflector by a wavelength λ of a surface

Application No.: 09/889,392

Bard

acoustic wave is set in a range of 0.05 to 0.075, and a duty ratio (w/p) of a part of the electrode finger decided based on a width w and an arranging cycle of a part of the electrode finger is set to the value ranging from 0.6 to just below 1.0.

12. (Amended) An acoustic wave apparatus comprising:

a piezoelectric substrate mainly containing lithium tantalate;

an interdigital transducer including a conductor formed on said substrate; and

a reflector including a conductor formed on said substrate,

wherein a surface rotated in a range of 36° to 43° from a crystal Y axis around a crystal X axis of the lithium tantalate is set as a surface of said substrate, a standardized electrode thickness (h/ λ) obtained by standardizing a thickness h of a part of an electrode finger constituting a part of said reflector by a wavelength λ of a surface acoustic wave is set in a range of 0.075 to 0.1, and a duty ratio (w/p) of a part of the electrode finger decided based on a width w and an arraying cycle p of a part of the electrode finger is set to the value ranging from 0.6 to just below 1.0.